
#### 5 OUT OF 4 Pfitterns


Sewing School: Full Bicep Adjustment for a Raglan Sleeve


1. Mark seam allowance.



2. Draw a line across the pattern at it widest point.







### 5 OUT OF 4 Priteris

Sewing School: Full Bicep Adjustment for a Raglan Sleeve


4. Wearing your raglan muslin, measure from seam allowance to the edge of your shoulder.

5. Take the above measurement and measure down the center line of pattern piece from the seam allowance and mark.

6. Draw a line from seam allowance to seam allowance.








## 5 OUT OF 4 Pfitterns

Sewing School: Full Bicep Adjustment for a Raglan Sleeve


7. Beginning at seam allowance where the shoulder line(line #4) meets draw a diagonal line to the center of line #2. Repeat on the other side.



8. Repeat on the other side.




9. Cut from from the bottom of line 3 to the center of line to and stop.



# 5 OUT OF 4 P fitterns


Sewing School: Full Bicep Adjustment for a Raglan Sleeve

10. Cut line 2 to the left and right. Do NOT cut through edge of pattern. Stop about 1/8 inch from the edge





11. From center of line #2 cut up each diagonal line(#5). Stop about 1/8 inch from edge of patter

**12.** Bring the bottom of the sleeve together and secure with tape.










# 5 OUT OF 4 Pfitterns

Sewing School: Full Bicep Adjustment for a Raglan Sleeve

14. Tape scrap paper to the back of adjusted pattern piece. You will notice there is slight dip at the top center of the sleeve cap. Use the paper and a marker to round out the dip.

15. You will also notice that the bottom of the sleeve is slightly raised in the center. Use the scrap paper to level the bottom of the sleeve from side to side.





Here's the final pattern piece!

